



Write your questions  
and thoughts here!

The tangent line of the function  $f(x)$  at  $x = a$  can give you an approximate value of  $f(x)$  for points close to  $x = a$ .

Concave UP with a Tangent Line



Concave DOWN with a Tangent Line



- $f$  is concave up on its domain and  $f(4) = 5$  and  $f'(4) = 3$ .
  - What is the estimate for  $f(3.8)$  using the local linear approximation for  $f$  at  $x = 4$ ?
  - Is it an underestimate or overestimate? Explain.
- The function  $f(x) = 5x - 2x^3 - 2$  is concave down at  $x = 1$ .
  - Find the tangent line of  $f$  at  $x = 1$ .
  - What is the estimate for  $f(1.1)$  using the local linear approximation for  $f$  at  $x = 1$ ?
  - Is it an underestimate or overestimate? Explain.
- Consider the differential equation  $\frac{dy}{dx} = e^y(2x^2 - 5x)$ . Let  $y = f(x)$  be the particular solution to the differential equation with the initial condition  $f(2) = 0$ .
  - Write an equation for the line tangent to the graph of  $f$  at the point  $(2,0)$ .
  - Use the tangent line to approximate  $f(2.2)$ .

## 4.6 Approximating with Local Linearity

## Practice

Calculus

For each differential equation, let  $y = f(x)$  be the particular solution to the differential equation with the given initial condition.

1.  $\frac{dy}{dx} = (5 - y) \sin x$  and  $f\left(\frac{\pi}{2}\right) = 2$ .

- a. Write an equation for the line tangent to the graph of  $f$  at the point  $\left(\frac{\pi}{2}, 2\right)$ .

- b. Use the tangent line to approximate  $f(1.5)$ .

2.  $\frac{dy}{dx} = -\frac{4x}{y}$  and  $f(1) = 3$ .

- a. Write an equation for the line tangent to the graph of  $f$  at the point  $(1, 3)$ .

- b. Use the tangent line to approximate  $f(1.1)$ .

Answer the questions for each function listed.

3.  $f(x) = 2 \cos x + 1$  is concave down on  $\left[0, \frac{\pi}{2}\right]$ .

- a. What is the estimate for  $f(1)$  using the local linear approximation for  $f$  at  $x = \frac{\pi}{2}$ ? Give an exact answer (no rounding).

- b. Is it an underestimate or overestimate? Explain.

4.  $f(x) = \frac{e^{2x}}{x+1}$  is concave up on  $x > -1$ .

- a. What is the estimate for  $f(0.1)$  using the local linear approximation for  $f$  at  $x = 0$ ?

- b. Is it an underestimate or overestimate? Explain.



10. The depth of snow in a field is given by the twice-differentiable function  $S$  for  $0 \leq t \leq 12$ , where  $S(t)$  is measured in centimeters and time  $t$  is measured in hours. Values of  $S'(t)$ , the derivative of  $S$ , at selected values of time  $t$  are shown in the table above. It is known that the graph of  $S$  is concave down for  $0 \leq t \leq 12$ .

$t$ (hours)	0	1	4	9	12
$S'(t)$ (centimeters per hour)	1.8	2.4	2.0	1.6	1.3

- a. Use the data in the table to approximate  $S''(10)$ . Show the computations that lead to your answer. Using correct units, explain the meaning of  $S''(10)$  in the context of the problem.
- b. Is there a time  $t$ , for  $0 \leq t \leq 12$ , at which the depth of snow is changing at a rate of 1.5 centimeters per hour? Justify your answer?
- c. At time  $t = 4$ , the depth of snow is 28 centimeters. Use the line tangent to the graph of  $S$  at  $t = 4$  to approximate the depth of the snow at time  $t = 6$ . Is the approximation an underestimate or an overestimate of the actual depth of snow at time  $t = 6$ ? Justify your answer.